acc. to OSHA, Appendix D to § 1910.1200

Jax Wax Iron Decon

Version number: GHS 1.0

SECTION 1: Identification

1.1 Product identifier

Trade name

- **1.2** Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses vehicle wheel cleaner
- 1.3 Details of the supplier of the safety data sheet Jax Wax 3150 Lamb Avenue Columbus, Ohio 43219

614-961-9612 sales@jaxwax.com

1.4 Emergency telephone number Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency telephone number.

Jax Wax Iron Decon

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

| Annex | - Hazard class and category | - Hazard statement code(s) | |
|-------|-----------------------------|----------------------------|------|
| A.10 | acute toxicity (oral) | Cat. 4 (Acute Tox. 4) | H302 |
| A.4S | skin sensitization | Cat. 1A (Skin Sens. 1A) | H317 |

Remarks

For full text of H-phrases: see SECTION 16.

Hazards not otherwise classified

Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and/or chronic).

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)Signal wordwarningPictograms

GHS07



Hazard statements

H302Harmful if swallowed.H317May cause an allergic skin reaction.

Precautionary statements

Precautionary statements - prevention

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/eye protection/face protection.

Date of compilation: 2017-12-18

acc. to OSHA, Appendix D to § 1910.1200

Jax Wax Iron Decon

Version number: GHS 1.0

Date of compilation: 2017-12-18

Precautionary statements - response

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF ON SKIN: Wash with plenty of water.

Specific treatment (see on this label).

Rinse mouth.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Precautionary statements - disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous ingredients for labelling

sodium thioglycolate solution

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of substance | Identifier | Wt% | Hazard c | lass and category | Hazard state- ment |
|---------------------------------------|--|------|----------|-------------------|-----------------------|
| 2-(2-butoxyethoxy)ethanol | CAS No 112-34-5 EC No 203-961-6 | 1-<5 | A.3 | Eye Irrit. 2 | H319 |
| polyethylene glycol (5) undecyl ether | CAS No 34398-01-1 EC No 931-426-3 | 1-<5 | A.10 | Acute Tox. 4 | H302 |

For full text of abbreviations: see SECTION 16. Exact percentage of ingredients is withheld as a trade secret.

SECTION 4: First-aid measures

4.1

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

Provide fresh air.

acc. to OSHA, Appendix D to § 1910.1200

Jax Wax Iron Decon

Version number: GHS 1.0

Date of compilation: 2017-12-18

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

Following eye contact

Irrigate copiously with clean, fresh water, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

water spray, alcohol resistant foam, BC-powder, carbon dioxide (CO2)

Unsuitable extinguishing media water jet

5.2 Special hazards arising from the substance or mixture Hazardous combustion products

nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

Appropriate containment techniques

Use of adsorbent materials.

acc. to OSHA, Appendix D to § 1910.1200

Jax Wax Iron Decon

Version number: GHS 1.0

Date of compilation: 2017-12-18

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Incompatible substances or mixtures

Observe compatible storage of chemicals.

Control of the effects

Protect against external exposure, such as frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

No information available.

Relevant DNELs/DMELs/PNECs and other threshold levels No data available.

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

acc. to OSHA, Appendix D to § 1910.1200

Jax Wax Iron Decon

Version number: GHS 1.0

Date of compilation: 2017-12-18

Skin protection

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Physical state Color Odor Other physical and chemical parameters pH (value) Melting point/freezing point Initial boiling point and boiling range Flash point Evaporation rate Flammability (solid gas)

Flammability (solid, gas) Explosive limits Vapor pressure Density Solubility(ies) Water solubility Partition coefficient n-octanol/water (log KOW) Auto-ignition temperature Viscosity Explosive properties Oxidizing properties liquid colorless to pale pink characteristic - slightly sulfurous

6 - 8 (25 °C) not determined 100 °C not determined (closed cup) not determined not relevant (fluid) not determined 31.69 hPa at 25 °C 1.041 - 1.042 ^g/ml

miscible in any proportion

this information is not available 210 °C not determined none none

acc. to OSHA, Appendix D to § 1910.1200

Jax Wax Iron Decon

Version number: GHS 1.0

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Physical stresses which might result in a hazardous situation and have to be avoided

strong shocks

10.5 Incompatible materials

oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Harmful if swallowed.

Acute toxicity of components of the mixture

| Name of substance | CAS No | Exposure route | ATE |
|---------------------------------------|------------|----------------|-------------------------------------|
| polyethylene glycol (5) undecyl ether | 34398-01-1 | oral | 1,400 ^{mg} / _{kg} |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

acc. to OSHA, Appendix D to § 1910.1200

Jax Wax Iron Decon

Version number: GHS 1.0

Carcinogenicity

• National Toxicology Program (United States):

• IARC Monographs

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|---------------------------------------|------------|----------|------------------------------------|----------------------------|---------------|
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | LC50 | 1,300 ^{mg} / _l | fish | 96 h |
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | EC50 | >100 ^{mg} / _l | aquatic inverteb- rates | 48 h |
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | ErC50 | >100 ^{mg} / _l | algae | 96 h |
| polyethylene glycol (5) undecyl ether | 34398-01-1 | EC50 | >1 ^{mg} / _l | fish | 48 h |

12.2 Persistence and degradability

Degradability of components of the mixture

| Name of substance | CAS No | Process | Degradation rate | Time |
|---------------------------|----------|------------------|---------------------|------|
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | oxygen depletion | 85 % | 28 d |

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
|---------------------------|----------|-----|------------------------|----------|
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | | 1 (pH value: 7, 20 °C) | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

none of the ingredients are listed none of the ingredients are listed

Date of compilation: 2017-12-18

acc. to OSHA, Appendix D to § 1910.1200

Jax Wax Iron Decon

Version number: GHS 1.0

Date of compilation: 2017-12-18

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

- 14.1 UN number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es) Class
- **14.4** Packing group
- **14.5** Environmental hazards
- **14.6** Special precautions for user There is no additional information.

not required (not subject to transport regulations) not relevant

not relevant

 $\ensuremath{\operatorname{\text{none}}}$ (non-environmentally hazardous acc. to the dangerous goods regulations)

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

 National regulations (United States)
 Toxic Substance Control Act (TSCA)
 SARA TITLE III (Superfund Amendment and Reauthorization Act)
 List of Extremely Hazardous Substances (40 CFR 355) (EPCRA Section 302 and 304)
 Specific Toxic Chemical Listings (40 CFR 372) (EPCRA Section 313)
 Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System (American Coatings Association)

acc. to OSHA, Appendix D to § 1910.1200

Jax Wax Iron Decon

Version number: GHS 1.0

Date of compilation: 2017-12-18

| Category | Rating | Description |
|---------------------|--------|---|
| Chronic | / | None. |
| Health | 2 | Temporary or minor injury may occur. |
| Flammability | 1 | Material that must be preheated before ignition can occur. |
| Physical hazard | 0 | Material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive. |
| Personal protection | - | |

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)

| Category | Degree of hazard | Description | | |
|----------------|---------------------|---|--|--|
| Flammability | 1 | Material that must be preheated before ignition can occur. | | |
| Health 2 | | Material that, under emergency conditions, can cause temporary incapacitation or residual injury. | | |
| Instability | 0 | Material that is normally stable, even under fire conditions. | | |
| Special hazard | | | | |

Right to Know Hazardous Substance List

none of the ingredients are listed none of the ingredients are listed

15.1.2. Proposition 65 List of chemicals 50.4

Relevant European Union (EU) safety, health and environmental provisions

| Classification according to GHS (1272/2008/EC, CLP) | | |
|---|----------|---------------------------|
| Hazard class | Category | Hazard class and category |
| acute toxicity (oral) | 4 | (Acute Tox. 4) |
| skin sensitization | 1A | (Skin Sens. 1A) |
| hazardous to the aquatic environment - chronic hazard | 3 | (Aquatic Chronic 3) |

SECTION 16: Other information, including date of preparation or last revision

16.2 Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------|--|
| Acute Tox. | Acute toxicity |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| CLP | Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures |
| CMR | Carcinogenic, Mutagenic or toxic for Reproduction |
| COD | Chemical oxygen demand |
| DMEL | Derived Minimal Effect Level |
| DNEL | Derived No-Effect Level |
| | |

acc. to OSHA, Appendix D to § 1910.1200

Jax Wax Iron Decon

Date of compilation: 2017-12-18

| Abbr. | Descriptions of used abbreviations |
|-----------------|--|
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of sub- stances commercially available within the EU (European Union) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IARC Monographs | IARC Monographs on the Evaluation of Carcinogenic Risks to Humans |
| log KOW | n-Octanol/water |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| NFPA® 704 | National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States) |
| NLP | No-Longer Polymer |
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition |
| OSHA | Occupational Safety and Health Administration (United States) |
| РВТ | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| vPvB | Very Persistent and very Bioaccumulative |

16.3 Key literature references and sources for data

- OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200 49 CFR 172.101 Hazardous Materials Table (DOT) _
- -

16.4 **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture. Health hazards/Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

16.5

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|--------------------------------------|
| H302 | Harmful if swallowed. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |

16.7

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Version number: GHS 1.0